

Introduction to Real-Time Systems

Peter Puschner

slides credits: H. Kopetz, P. Puschner VO Echtzeitsysteme

SS 2024



What is a Real-Time System?

- Definition 1: RT-systems are systems in which the correctness of the system behavior depends
 - on the logical results of the computations, and
 - on the physical time when these results are produced
- Definition 2: RT-systems are systems that have to be designed according to the dynamics of a physical process



What is a Real-Time System? (2)














What is a Real-Time System? (3)

- Often part of an embedded or cyber-physical system
 - Computer system performs a specific task (not general purpose)
 - Tight interaction with physical environment (sensors, actuators)
 - Dependability
 - Resource efficiency (cost are critical)
 - Increasing importance of security



Example Real-Time Application

Many real-time systems are control systems Example: simple one-sensor, one-actuator control system





Example Real-Time Application – Pseudo Code

Initialize periodic interrupt timer with period T

Interrupt service routine:

do analog-to-digital conversion for input value compute control output from reference and input value do digital-to-analog conversion for control output

- T ... sampling period
- T is application dependent, chosen by system designer
- Range of T: milliseconds to seconds



Misconceptions about Real-Time Systems (Stankovic, IEEE Computer, 1988)

- "Real-time computing is equivalent to fast computing."
 - "real-time" sounds cool/good term often used to advertise products
- "Real-time programming is assembly coding,..."
 - Proper models, design and development process



Challenges – What is Difficult about RTS?

- 1. Reactive behavior
 - Continuous operation
 - Pace is controlled by environment
- 2. Concurrency
 - Devices operate in parallel in the real-world
 - Conflicts with sequential execution on controller
 - Hard to maintain deterministic, reproducible behavior
- 3. Guaranteed response times
 - Predictability is essential still efficiency is important
 - Worst case must be predictable
 - Response times on system level



What is Difficult about RTS?


- 4. Interaction with special purpose hardware
 - Devices must be programmed in a reliable and abstract way
 - Interfaces, device drivers are often a large development-time sink
- 5. Maintenance usually difficult
 - Hardly maintenance loop
 - Instead: "First time right"
- 6. Harsh environment
 - Temperature, EMI, radiation, etc.
- 7. Constrained resources
 - Processing power, memory, power, etc.



What is Difficult about RTS?

- 8. Often cross development
 - Target platform ≠ development platform
- 9. Size and complexity
 - Few lines of assembler code ... x100 million lines of code (car, plane)
- 10.Reliability and safety requirements
 - Embedded systems control the environment in which they operate
 - Control failures can result in
 - enormous damage to environment
 - substantial financial loss
 - the loss of human life







Deadline

- The time at which a real-time systems has to produce a specific result is called a deadline.
- Deadlines are dictated by the environment.
- What happens if an RTS misses a deadline?



Classification of Real-Time Systems

- Soft RTS
 - The result has utility after the deadline.
 - Respective deadline is called a soft deadline.
- Firm RTS
 - The result has zero utility after the deadline.
- Hard RTS
 - Missing a deadline may be catastrophic.
 - Critical deadline is called hard deadline.
 - HRTS has at least one hard deadline.
- Hard and Soft RTS design are fundamentally different!



Guaranteed Timeliness versus Best Effort

Guaranteed timeliness of a system implementation

- Load and fault hypothesis is available
- Temporal correctness can be shown by analytical arguments
- Assumption coverage is critical

Best effort system implementation

- Analytical argument for temporal correctness cannot be made.
- The temporal verification relies on probabilistic arguments, even within the specified load- and fault hypothesis.

Hard real-time systems must be based on guaranteed timeliness.



Resource Adequacy

In order to provide timing guarantees a system has to

- provide sufficient computational resources to handle
- the specified peak load and
- fault scenarios.

In the past, resource adequacy has been considered too expensive.

Today, decreasing hardware cost make the implementation of resource adequate designs economically viable.

For hard real-time applications,

there is no alternative to resource adequate designs.



Predictability in Rare-Event Situations

Rare Event

- important event that
- occurs very infrequently during the lifetime of a system (e.g., the rupture of a pipe in a nuclear reactor).
- can give rise to many correlated service requests (e.g., an alarm shower) ↔ peak load.

In a number of applications

- the utility of a system depends on the predictable performance in rare event scenarios (e.g., flight control system).
- In many cases, workload testing will not cover the rare event scenario.



Hard versus Soft RTS

Characteristic	Hard Real Time	Soft Real Time
Deadlines	hard	soft
Pacing	environment	computer
Peak-Load Perform.	predictable	degraded
Error Detection	system	user
Safety	critical	non-critical
Redundancy	active	standby
Time Granularity	millisecond	second
Data Files	small/medium	large
Data Integrity	short term	long term



Fail-Safe versus Fail-Operational Applications

Fail-safe system: has a safe state in the environment that can be reached in case of a system failure (e.g., train signaling).

- Fail safeness is an application property.
- High *error detection coverage* is critical.
- Use of watchdog, heart-beat signal.

Fail-operational system: no safe state can be reached in case of a system failure (e.g., a flight control system of airplane).

- Computer system has to provide a minimum level of service, even after the occurrence of a fault.
- Active redundancy



Points to Remember

- RT is not about performance (fast is not real-time)
- Hard RT systems are safety critical
- Predictability is important
- RT does not imply ad-hoc, low-level design
- RT design has to be systematic
 - Timing is central
 - Architecture (hardware and software)
 - Design, implementation and verification process